


KINETICS NOISE CONTROL

PAB Acoustical Baffles



Crisp corners and a tailored finish appearance makes this fabric faced baffle an attractive solution to reverberant noise problems in areas needing sound control at the ceiling level.

We suggest Kinetics PAB baffles in large spaces with high ceilings where noise and reverberation levels are a concern.

PAB baffles are constructed from a 1-1/2" thick fiberglass core encased in a rigid, lightweight PVC frame. The fiberglass provides exceptional sound absorption while the spline-and-groove fabric attachment at the frame allows for easy replacement of the fabric covering, if damaged. Fully tailored corners give this baffle an attractive finished look.

Plated eyelets are anchored securely into the frame for use with suspension cables. Perfect for new or retrofit applications.



6300 Irelan Place
Dublin, OH 43017
1.800.959.1229 Toll-Free
www.kineticsnoise.com

Over 50 years of success solving acoustic and noise control problems!

Description

A vertically suspended acoustical baffle for use in larger spaces to reduce overall noise levels and reverberation. The fabric finish can be replaced if damaged.

Composition

1-1/2" thick 3 PCF fiberglass core
 Rigid, lightweight PVC spline-and-groove frame
 Two zinc-plated steel eye screws on top edge
 Standard in-stock fabric from Guilford of Maine

Fire Test Data

Class A per ASTM E 84

Acoustical Performance

Sound Absorption per ASTM C-423*


Frequency, Hz	125	250	500	1000	2000	4000
Sabins per 24" x 48" Baffle	2.10	5.00	9.90	14.5	15.2	15.6

Applications

- Reverberant, "high ceiling" spaces where aesthetics is a priority
- Large Open Office Spaces
- Multi-Purpose Rooms
- Church Fellowship Halls
- Restaurants
- High Ceiling Lobbies/Atriums

Mounting

To be mounted following manufacturer's recommendations. See *Kinetics' Product Installation Guide*



Download the Specification in CSI Masterformat at www.kineticsnoise.com

