


MODEL	* MAX. CABLE TENSION		* MAX. HORIZONTAL CABLE FORCE @ A=0°		* MAX. HORIZONTAL CABLE FORCE @ A=30°		* MAX. HORIZONTAL CABLE FORCE @ A=45°		* MAX. HORIZONTAL CABLE FORCE @ A=60°		
	in.	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS


KSWC-125B	1/8	955	II	955	II	825	II	675	II	475	I
KSWC-187B	3/16	1,635	III	1,175	III	1,415	III	1,155	III	815	II
KSWC-250B	1/4	2,960	IV	1,175	III	2,560	IV	2,090	IV	1,480	III



KSWC U-BOLT CLIP BULK CABLE RESTRAINT KIT (KSCA – KSCA)

PAGE 1 OF 1 - DRAWING # S-90.384-2A

RELEASE DATE: 5/21/04



DUBLIN, OHIO, USA • MISSISSAUGA, ONTARIO, CANADA


Toll Free (USA only): 800-959-1229
 International: 614-889-0480
 Fax: 614-889-0540
 World Wide Web: www.kineticsnoise.com
 Email: sales@kineticsnoise.com

DOCUMENT:

P7.3.1




MODEL	CABLE SIZE	MAX. CABLE TENSION		MAX. HORIZONTAL CABLE FORCE @ A=0°		MAX. HORIZONTAL CABLE FORCE @ A=30°		MAX. HORIZONTAL CABLE FORCE @ A=45°		MAX. HORIZONTAL CABLE FORCE @ A=60°	
		lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS
KSQF-125	1/8	500	-----	500	I	430	I	350	I	250	-0-
KSQF-187	3/16	1,235	-----	1,235	III	1,065	III	870	III	615	II



KSQF GRIPPLE BULK CABLE RESTRAINT KIT (KSCA – KSCA)

PAGE 1 OF 1 - DRAWING # S-90.384-4A

RELEASE DATE: 5/21/04



DUBLIN, OHIO, USA • MISSISSAUGA, ONTARIO, CANADA


Toll Free (USA only): 800-959-1229
 International: 614-889-0480
 Fax: 614-889-0540
 World Wide Web: www.kineticsnoise.com
 Email: sales@kineticsnoise.com

DOCUMENT:

P7.3.2



MODEL	CABLE SIZE	* MAX. CABLE TENSION		* MAX. HORIZONTAL CABLE FORCE @ A=0°		* MAX. HORIZONTAL CABLE FORCE @ A=30°		* MAX. HORIZONTAL CABLE FORCE @ A=45°		* MAX. HORIZONTAL CABLE FORCE @ A=60°	
		lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS
-----	in.										
KSUA-125B	1/8	955	II	955	II	825	II	675	II	475	I
KSUA-187B	3/16	1,635	III	1,635	III	1,415	III	1,155	III	815	II
KSUA-250B	1/4	2,960	IV	2,960	IV	2,560	IV	2,090	IV	1,480	III



KSUA U-BOLT CLIP BULK CABLE RESTRAINT KIT (KSUA – KSUA)

PAGE 1 OF 1 - DRAWING # S-90.384-8A

RELEASE DATE: 5/21/04



DUBLIN, OHIO, USA • MISSISSAUGA, ONTARIO, CANADA


Toll Free (USA only): 800-959-1229
 International: 614-889-0480
 Fax: 614-889-0540
 World Wide Web: www.kineticsnoise.com
 Email: sales@kineticsnoise.com

DOCUMENT:

P7.3.3



MODEL	CABLE SIZE	* MAX. CABLE TENSION		* MAX. HORIZONTAL CABLE FORCE @ A=0°		* MAX. HORIZONTAL CABLE FORCE @ A=30°		* MAX. HORIZONTAL CABLE FORCE @ A=45°		* MAX. HORIZONTAL CABLE FORCE @ A=60°	
		lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS
----- KSCCU-250B	1/4	2960	IV	2960	IV	2560	IV	2090	IV	1480	III



KSCCU U-BOLT CLIP BULK CABLE RESTRAINT KIT (CCA – KSUA)

PAGE 1 OF 1 - DRAWING # S-90.384-10A

RELEASE DATE: 5/21/04



DUBLIN, OHIO, USA • MISSISSAUGA, ONTARIO, CANADA


Toll Free (USA only): 800-959-1229
 International: 614-889-0480
 Fax: 614-889-0540
 World Wide Web: www.kineticsnoise.com
 Email: sales@kineticsnoise.com

DOCUMENT:

P7.3.4




MODEL	CABLE SIZE	* MAX. CABLE TENSION		* MAX. HORIZONTAL CABLE FORCE @ A=0°		* MAX. HORIZONTAL CABLE FORCE @ A=30°		* MAX. HORIZONTAL CABLE FORCE @ A=45°		* MAX. HORIZONTAL CABLE FORCE @ A=60°	
		in.	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.
-----	1/4	2960	IV	2960	IV	2560	IV	2090	IV	1480	III
KSCCU4-250B	1/4	2960	IV	2960	IV	2560	IV	2090	IV	1480	III
											ORIENTATION
											1 or 2



KSCCU4 U-BOLT CLIP BULK CABLE RESTRAINT KIT (CCA-4 – KSUA)

PAGE 1 OF 1 - DRAWING # S-90.384-13A

RELEASE DATE: 5/21/04



DUBLIN, OHIO, USA • MISSISSAUGA, ONTARIO, CANADA


Toll Free (USA only): 800-959-1229
 International: 614-889-0480
 Fax: 614-889-0540
 World Wide Web: www.kineticsnoise.com
 Email: sales@kineticsnoise.com

DOCUMENT:

P7.3.5



MODEL	CABLE SIZE	* MAX. CABLE TENSION		* MAX. HORIZONTAL CABLE FORCE @ A=0°		* MAX. HORIZONTAL CABLE FORCE @ A=30°		* MAX. HORIZONTAL CABLE FORCE @ A=45°		* MAX. HORIZONTAL CABLE FORCE @ A=60°	
		lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS
-----	in.										
KSCC-250B	1/4	2960	IV	2960	IV	2560	IV	2090	IV	1480	III
KSCC-375B	3/8	5915	V	3375	IV	5120	V	4180	IV	2955	IV
KSCC-500B	1/2	8500	V	3375	IV	6250	V	6010	V	4250	IV



KSCC U-BOLT CLIP BULK CABLE RESTRAINT KIT (CCA – CCA)

PAGE 1 OF 1 - DRAWING # S-90.384-11A

RELEASE DATE: 5/21/04



DUBLIN, OHIO, USA • MISSISSAUGA, ONTARIO, CANADA



Toll Free (USA only): 800-959-1229
 International: 614-889-0480
 Fax: 614-889-0540
 World Wide Web: www.kineticsnoise.com
 Email: sales@kineticsnoise.com

DOCUMENT:

P7.3.6



MODEL	CABLE SIZE	* MAX. CABLE TENSION		* MAX. HORIZONTAL CABLE FORCE @ A=0°		* MAX. HORIZONTAL CABLE FORCE @ A=30°		* MAX. HORIZONTAL CABLE FORCE @ A=45°		* MAX. HORIZONTAL CABLE FORCE @ A=60°	
		lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS	lbs.	CLASS
KSCC4-250B	1/4	2960	IV	2960	IV	2560	IV	2090	IV	1470	III
	3/8	5915	V	5915	V	5020	V	5585	V	2955	IV
KSCC4-375B	3/8	5915	V	5915	V	5915	V	5585	V	2955	IV
	1/2	8500	V	6250	V	5250	V	5585	V	3520	IV
KSCC4-500B	1/2	8500	V	3375	IV	6095	V	5585	V	4250	IV



* FOR CCA-4 BRACKET BOLTED TO CONCRETE.

KSCC4 U-BOLT CLIP BULK CABLE RESTRAINT KIT (CCA-4 – CCA)

PAGE 1 OF 1 - DRAWING # S-90.384-12A

RELEASE DATE 5/21/04



Toll Free (USA only): 800-959-1229
 International: 614-889-0480
 Fax: 614-889-0540
 World Wide Web: www.kineticsnoise.com
 Email: sales@kineticsnoise.com

DOCUMENT:

P7.3.7



DUBLIN, OHIO, USA • MISSISSAUGA, ONTARIO, CANADA